

ACCESS TO THE SOCALGAS PIPELINE SYSTEM

The Utility shall provide nondiscriminatory open access to its system to any party (hereinafter "Interconnector") for the purpose of physically interconnecting with the Utility and effectuating the delivery of natural gas, subject to the terms and conditions set forth in this Rule and the applicable provisions of the Utility's other tariff schedules including, but not limited to, the gas quality requirements set forth in Rule No. 30, Section I. None of the provisions in this Rule shall be interpreted so as to unduly discriminate against or in favor of gas supplies coming from any source.

A. Terms of Access

1. The interconnection and physical flows shall not jeopardize the integrity of, or interfere with, normal operation of the Utility's system and provision of service to its customers.
2. The Interconnector and Utility must execute Form No. 6450, Interconnection Agreement (IA) and Form No. 6435, Operational Balancing Agreement (OBA).
3. The Interconnector shall pay for all equipment necessary to effectuate deliveries at point of interconnection, including, but not limited to, valves, separators, meters, quality measurement, odorant and other equipment necessary to regulate and deliver gas at the interconnection point. The Interconnector shall also pay for computer programming changes to the Utility's Electronic Bulletin Board (EBB) scheduling system, if any, required to add the Interconnector's new interconnection point. The Interconnector and the Utility must execute Form No. 6430, Exhibit D, Interconnect Collectible System Upgrade Agreement.
4. The point of interconnection shall be established as a transportation scheduling point, pursuant to the provisions of Rule No. 30, if the Interconnector abides by the standards of the North American Energy Standards Board.
5. The maximum physical capacity of the interconnection will be determined by the sizing of the point of receipt, including the metering and odorization capacities, but is not the capacity of the Utility's pipeline system to transport gas away from the interconnection point and is not, nor is it intended to be, any commitment by the Utility of takeaway capacity. The Utility separately provides takeaway services, including the option to expand system capacity to increase takeaway services, through its otherwise applicable tariffs.
6. The available receipt capacity for any particular day may be affected by physical flows from other points of receipt, physical pipeline and storage conditions for that day, and end-use demand on the Utility's system.

N
|
N

L

(Continued)

(TO BE INSERTED BY UTILITY)
 ADVICE LETTER NO. 3818-A
 DECISION NO. 07-12-019

ISSUED BY
Lee Schavrien
 Senior Vice President
 Regulatory Affairs

(TO BE INSERTED BY CAL. PUC)
 DATE FILED May 12, 2008
 EFFECTIVE Jul 18, 2008
 RESOLUTION NO. _____

ACCESS TO THE SOCALGAS PIPELINE SYSTEM

(Continued)

A. Terms of Access (Continued)

- 7. The Utility will expand specific receipt point capacity and/or takeaway capacity at the request and expense of a supply source, third party storage providers, CPUC-regulated intrastate pipelines, interconnecting interstate pipelines, or other parties. The Interconnector and the Utility must execute a Collectible System Upgrade Agreement (Form 6420) prior to any work being completed.
- 8. As defined in the IA, the Interconnector shall pay all costs associated with the odorant of the delivered natural gas less the historical costs, on a per unit basis; the Utility has paid for odorant required for existing interstate supplies being delivered as of the date of D.06-09-039. The historical cost is \$0.0003 per Dth.

T,L
|
T,L
L

L
|
|
L

B. Interconnection Capacity Studies

- 1. Any party, including an interconnecting pipeline or a supply source, may request an Interconnection Capacity Study to determine the Utility's downstream capability to take natural gas away from the interconnection point and the associated Utility facility enhancement costs. Upon the request of an entity to establish or increase takeaway capacity from a receipt point, the Utility will make a timely determination of the facilities (and facility modifications) and associated costs that are required to add the requested takeaway capacity on both a Displacement Receipt Point Capacity basis and Expansion Receipt Point Capacity basis. The Utility shall make this determination on a nondiscriminatory and transparent basis, without favoring any region of its territory and without favoring any entity.
- 2. All analyses shall take into consideration new supplies and facilities that have been or will be installed pursuant to a previously executed Collectible System Upgrade Agreements (CSUA) in effect. Priority for purposes of determining facility costs will be established on the basis of the date a party executes a CSUA. The CSUA shall include the activities from initial study through construction under terms mutually agreeable to the Utility and the party in Appendix "B" to the CSUA. In order to keep its place in the priority established by D.06-12-031 for determining facilities costs, an Appendix "B" must be completed within 90 days of the Commission Resolution approving Advice Letter 3706-A. The Utility shall maintain a queue of executed CSUAs with completed Appendix "B", including project milestones and completion dates. Any CSUA party will be subject to replacement in the queue if any date for performance within its CSUA has expired. The Utility will be provided a 30-day notice of cancellation and allow for a subsequent 60-day period to cure any non-performance. The Utility will file an Advice Letter for Commission approval to re-order the queue due to the non-performance of a CSUA holder.

L

(Continued)

(TO BE INSERTED BY UTILITY)
 ADVICE LETTER NO. 3818-A
 DECISION NO. 07-12-019

ISSUED BY
Lee Schavrien
 Senior Vice President
 Regulatory Affairs

(TO BE INSERTED BY CAL. PUC)
 DATE FILED May 12, 2008
 EFFECTIVE Jul 18, 2008
 RESOLUTION NO. _____

