



2655 Park Center Dr., Suite A
Simi Valley, CA 93065
T: +1 805 526 7161
F: +1 805 526 7270
www.alsglobal.com

LABORATORY REPORT

January 17, 2016

Glenn La Fevers
Southern California Gas Company
12801 Tampa Ave
Northridge, CA 91326-1045

RE: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

Dear Glenn:

Enclosed are the results of the samples submitted to our laboratory on January 16, 2016. For your reference, these analyses have been assigned our service request number P1600215.

All analyses were performed according to our laboratory's NELAP and DoD-ELAP-approved quality assurance program. The test results meet requirements of the current NELAP and DoD-ELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP and DoD-ELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. Results are intended to be considered in their entirety and apply only to the samples analyzed and reported herein.

If you have any questions, please call me at (805) 526-7161.

Respectfully submitted,

ALS | Environmental

By Sue Anderson at 3:38 pm, Jan 17, 2016

Sue Anderson
Project Manager



2655 Park Center Dr., Suite A
Simi Valley, CA 93065
T: +1 805 526 7161
F: +1 805 526 7270
www.alsglobal.com

Client: Southern California Gas Company Service Request No: P1600215
Project: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

CASE NARRATIVE

The samples were received intact under chain of custody on January 16, 2016 and were stored in accordance with the analytical method requirements. Please refer to the sample acceptance check form for additional information. The results reported herein are applicable only to the condition of the samples at the time of sample receipt.

Methane Analysis

The Silonite canister samples were analyzed per modified EPA Method TO-3 for methane using a gas chromatograph equipped with a flame ionization detector (FID). This procedure is described in laboratory SOP VOA-TO3C1C6. This method is included on the laboratory's DoD-ELAP scope of accreditation, however it is not part of the NELAP or AIHA-LAP accreditation.

Sulfur Analysis

The Zefon bag samples were analyzed for ten sulfur compounds per ASTM D 5504-12 using a gas chromatograph equipped with a sulfur chemiluminescence detector (SCD). All compounds with the exception of hydrogen sulfide and carbonyl sulfide are quantitated against the initial calibration curve for methyl mercaptan. This method is included on the laboratory's NELAP scope of accreditation, however it is not part of the DoD-ELAP or AIHA-LAP accreditation.

Volatile Organic Compound Analysis

The Silonite canister samples were also analyzed for selected volatile organic compounds in accordance with EPA Method TO-15 from the Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition (EPA/625/R-96/010b), January, 1999. This procedure is described in laboratory SOP VOA-TO15. The analytical system was comprised of a gas chromatograph / mass spectrometer (GC/MS) interfaced to a whole-air preconcentrator. This method is included on the laboratory's NELAP and DoD-ELAP scope of accreditation, however it is not part of the AIHA-LAP accreditation. Any analytes flagged with an X are not included on the NELAP or DoD-ELAP accreditation.

The canisters were cleaned, prior to sampling, down to the method reporting limit (MRL) reported for this project. Please note, projects which require reporting below the MRL could have results between the MRL and method detection limit (MDL) that are biased high.

The results of analyses are given in the attached laboratory report. All results are intended to be considered in their entirety, and ALS Environmental (ALS) is not responsible for utilization of less than the complete report.

Use of ALS Environmental (ALS)'s Name. Client shall not use ALS's name or trademark in any marketing or reporting materials, press releases or in any other manner ("Materials") whatsoever and shall not attribute to ALS any test result, tolerance or specification derived from ALS's data ("Attribution") without ALS's prior written consent, which may be withheld by ALS for any reason in its sole discretion. To request ALS's consent, Client shall provide copies of the proposed Materials or Attribution and describe in writing Client's proposed use of such Materials or Attribution. If ALS has not provided written approval of the Materials or Attribution within ten (10) days of receipt from Client, Client's request to use ALS's name or trademark in any Materials or Attribution shall be deemed denied. ALS may, in its discretion, reasonably charge Client for its time in reviewing Materials or Attribution requests. Client acknowledges and agrees that the unauthorized use of ALS's name or trademark may cause ALS to incur irreparable harm for which the recovery of money damages will be inadequate. Accordingly, Client acknowledges and agrees that a violation shall justify preliminary injunctive relief. For questions contact the laboratory.



2655 Park Center Dr., Suite A
 Simi Valley, CA 93065
 T: +1 805 526 7161
 F: +1 805 526 7270
www.alsglobal.com

ALS Environmental – Simi Valley

CERTIFICATIONS, ACCREDITATIONS, AND REGISTRATIONS

Agency	Web Site	Number
AIHA	http://www.aihaaccreditedlabs.org	101661
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0694
DoD ELAP	http://www.pjlabs.com/search-accredited-labs	L15-398
Florida DOH (NELAP)	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E871020
Maine DHHS	http://www.maine.gov/dhhs/mecdc/environmental-health/water/dwp-services/labcert/labcert.htm	2014025
Minnesota DOH (NELAP)	http://www.health.state.mn.us/accreditation	977273
New Jersey DEP (NELAP)	http://www.nj.gov/dep/oqa/	CA009
New York DOH (NELAP)	http://www.wadsworth.org/labcert/elap/elap.html	11221
Oregon PHD (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	4068-001
Pennsylvania DEP	http://www.depweb.state.pa.us/labs	68-03307 (Registration)
Texas CEQ (NELAP)	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704413-15-6
Utah DOH (NELAP)	http://www.health.utah.gov/lab/labimp/certification/index.html	CA01627201 5-5
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C946

Analyses were performed according to our laboratory's NELAP and DoD-ELAP approved quality assurance program. A complete listing of specific NELAP and DoD-ELAP certified analytes can be found in the certifications section at www.alsglobal.com, or at the accreditation body's website.

Each of the certifications listed above have an explicit Scope of Accreditation that applies to specific matrices/methods/analytes; therefore, please contact the laboratory for information corresponding to a particular certification.

ALS ENVIRONMENTAL

DETAIL SUMMARY REPORT

Client: Southern California Gas Company
 Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

Service Request: P1600215

Date Received: 1/16/2016
 Time Received: 10:00

TO-3 Modified - C1C6+ Can
TO-15 - VOC Cans
ASTM D 5504-12 - Sulfur Bag

Client Sample ID	Lab Code	Matrix	Date Collected	Time Collected	Container ID	Pi1 (psig)	Pf1 (psig)	TO-3 Modified - C1C6+ Can	TO-15 - VOC Cans	ASTM D 5504-12 - Sulfur Bag
Mason/Corbin	P1600215-001	Air	1/16/2016	02:00	AS00957	-1.29	0.97	X	X	X
Porter Ranch Community School	P1600215-002	Air	1/16/2016	02:30	AS00919	-0.58	1.99	X	X	X
Galileo/Donatello	P1600215-003	Air	1/16/2016	02:55	AS00946	-2.11	1.02	X	X	X
Porter Ranch Estates	P1600215-004	Air	1/16/2016	03:19	AS00928	-1.65	1.18	X	X	X
Highlands 1	P1600215-005	Air	1/16/2016	03:41	AS00939	-2.13	1.03	X	X	X
Highlands 3	P1600215-006	Air	1/16/2016	04:02	AS00989	-1.62	1.04	X	X	X
Porter Ranch Estates 3	P1600215-007	Air	1/16/2016	04:25	AS00971	-2.19	1.03	X	X	X
Highlands 2	P1600215-008	Air	1/16/2016	04:46	AS00901	-1.41	0.99	X	X	X
Castlebay Elementary School	P1600215-009	Air	1/16/2016	05:08	AS00967	-1.58	1.00	X	X	X
Starter Set Preschool	P1600215-010	Air	1/16/2016	05:27	AS00903	-2.91	1.01	X	X	X
Porter Ridge Park	P1600215-011	Air	1/16/2016	05:45	AS00986	-1.69	1.01	X	X	X



Air - Chain of Custody Record & Analytical Service Request

2655 Park Center Drive, Suite A
 Simi Valley, California 93065
 Phone (805) 526-7161
 Fax (805) 526-7270

Requested Turnaround Time in Business Days (Surcharges) please circle
 1 Day (100%) 2 Day (75%) 3 Day (60%) 4 Day (35%) 5 Day (25%) 10 Day-Standard

Company Name & Address (Reporting Information)
 AIRKINETICS, INC.
 1308 S. Allec Street
 Anaheim, CA 92805
 Project Manager
 SON BUI
 Phone (714) 254-1945
 Fax (714) 956-2350
 Email Address for Result Reporting

Project Name
 SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION
 Project Number
 14424
 P.O. # / Billing Information

ALS Project No.
 AL600215

Please see Kelly Honiuchi for distribution list.

Client Sample ID	Laboratory ID Number	Date Collected	Time Collected	Collection Vessel	Canister ID (AC, SC, etc.)	Flow Controller ID (Bar code # - FC #)	Canister Start Pressure "Hg	Canister End Pressure "Hg/psig	Analysis Method	Comment
Mason/Corbin	①	1-16-16	0150	Silonite Can.	AS500957	AV603572	27	4	TO3 modified for Methane	ASTM D 5504-12 (Selected sulfur compounds & TRS as H2S)
Porter Ranch Community School	②	1-16-16	0220	Tedlar Bag	NA	NA	NA	NA		
Galileo/Donatello	③	1-16-16	0245	Silonite Can.	AS500919	AV604146	27	2		
Porter Ranch Estates	④	1-16-16	0309	Tedlar Bag	NA	NA	NA	NA		
Highlands 1	⑤	1-16-16	0331	Silonite Can.	AS500946	AV603355	27	5		
Highlands 3	⑥	1-16-16	0402	Tedlar Bag	NA	NA	NA	NA		
Porter Ranch Estates 3	⑦	1-16-16	0425	Silonite Can.	AS500928	AV604407	28	2		
				Tedlar Bag	AS500939	AV603422	26	4		
				Silonite Can.	AS500989	AV604483	27	3		
				Tedlar Bag	NA	NA	NA	NA		
				Silonite Can.	AS500971	AV604589	27	6		
				Tedlar Bag	NA	NA	NA	NA		

ALS Contact: Sue Anderson

Chain of Custody Seal: (Circle)
 INTACT BROKEN ABSENT

Report Tier Levels - please select
 Tier I - Results (Default if not specified) _____
 Tier II (Results + QC Summaries) X _____
 Tier III (Results + QC & Calibration Summaries) _____ EDD required (Yes / No) _____
 Tier IV (Data Validation Package) 10% Surcharge - Type: _____ Units: _____

Relinquished by: (Signature) _____ Date: 1-16-16 Time: 1000
 Relinquished by: (Signature) _____ Date: 1-16-16 Time: 1000am

Received by: (Signature) Kelly Honiuchi Date: 1/16/16 Time: 10:00am
 Received by: (Signature) _____ Date: _____ Time: _____

**ALS Environmental
Sample Acceptance Check Form**

Client: Southern California Gas Company Work order: P1600215
 Project: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424
 Sample(s) received on: 1/16/16 Date opened: 1/16/16 by: KHORIUCHI

Note: This form is used for all samples received by ALS. The use of this form for custody seals is strictly meant to indicate presence/absence and not as an indication of compliance or nonconformity. Thermal preservation and pH will only be evaluated either at the request of the client and/or as required by the method/SOP.

- | | Yes | No | N/A |
|---|-------------------------------------|--------------------------|-------------------------------------|
| 1 Were sample containers properly marked with client sample ID? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2 Did sample containers arrive in good condition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3 Were chain-of-custody papers used and filled out? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4 Did sample container labels and/or tags agree with custody papers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 5 Was sample volume received adequate for analysis? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 6 Are samples within specified holding times? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 7 Was proper temperature (thermal preservation) of cooler at receipt adhered to? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 8 Were custody seals on outside of cooler/Box/Container? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Location of seal(s)? _____ Sealing Lid? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Were signature and date included? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Were seals intact? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 9 Do containers have appropriate preservation , according to method/SOP or Client specified information? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Is there a client indication that the submitted samples are pH preserved? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Were VOA vials checked for presence/absence of air bubbles? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Does the client/method/SOP require that the analyst check the sample pH and <u>if necessary</u> alter it? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 10 Tubes: Are the tubes capped and intact? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 11 Badges: Are the badges properly capped and intact? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Are dual bed badges separated and individually capped and intact? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Lab Sample ID	Container Description	Required pH *	Received pH	Adjusted pH	VOA Headspace (Presence/Absence)	Receipt / Preservation Comments
P1600215-001.01	6.0 L Silonite Can					
P1600215-001.02	1 L Zefon Bag					
P1600215-002.01	6.0 L Silonite Can					
P1600215-002.02	1 L Zefon Bag					
P1600215-003.01	6.0 L Silonite Can					
P1600215-003.02	1 L Zefon Bag					
P1600215-004.01	6.0 L Silonite Can					
P1600215-004.02	1 L Zefon Bag					
P1600215-005.01	6.0 L Silonite Can					
P1600215-005.02	1 L Zefon Bag					
P1600215-006.01	6.0 L Silonite Can					
P1600215-006.02	1 L Zefon Bag					
P1600215-007.01	6.0 L Silonite Can					
P1600215-007.02	1 L Zefon Bag					
P1600215-008.01	6.0 L Silonite Can					

Explain any discrepancies: (include lab sample ID numbers): _____

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

Methane

Test Code: EPA TO-3 Modified
 Instrument ID: HP5890 II/GC8/FID
 Analyst: Mike Conejo
 Sampling Media: 6.0 L Silonite Canister(s)
 Test Notes:

Date(s) Collected: 1/16/16
 Date Received: 1/16/16
 Date Analyzed: 1/16/16

Client Sample ID	ALS Sample ID	Canister Dilution Factor	Injection Volume ml(s)	Result ppmV	MRL ppmV	Data Qualifier
Mason/Corbin	P1600215-001	1.17	1.0	7.0	0.59	
Porter Ranch Community School	P1600215-002	1.18	1.0	4.8	0.59	
Galileo/Donatello	P1600215-003	1.25	1.0	7.9	0.63	
Porter Ranch Estates	P1600215-004	1.22	1.0	1.6	0.61	
Highlands 1	P1600215-005	1.25	1.0	5.8	0.63	
Highlands 3	P1600215-006	1.20	1.0	20	0.60	
Porter Ranch Estates 3	P1600215-007	1.26	1.0	12	0.63	
Highlands 2	P1600215-008	1.18	1.0	15	0.59	
Castlebay Elementary School	P1600215-009	1.20	1.0	9.9	0.60	
Starter Set Preschool	P1600215-010	1.33	1.0	4.0	0.67	
Porter Ridge Park	P1600215-011	1.21	1.0	3.4	0.61	
Method Blank	P160116-MB	1.00	1.0	ND	0.50	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Lab Control Sample

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

ALS Sample ID: P160116-LCS

Test Code: EPA TO-3 Modified

Instrument ID: HP5890 II/GC8/FID

Analyst: Mike Conejo

Sampling Media: 6.0 L Silonite Canister

Test Notes:

Date Collected: NA

Date Received: NA

Date Analyzed: 1/16/16

Volume(s) Analyzed: NA ml(s)

Compound	Spike Amount ppmV	Result ppmV	% Recovery	ALS	Data Qualifier
				Acceptance Limits	
Methane	1,020	1,050	103	83-107	

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company
Client Sample ID: Mason/Corbin
Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215
 ALS Sample ID: P1600215-001

Test Code: ASTM D 5504-12
 Instrument ID: Agilent 7890A/GC22/SCD
 Analyst: Mike Conejo
 Sample Type: 1 L Zefon Bag
 Test Notes:

Date Collected: 1/16/16
 Time Collected: 02:00
 Date Received: 1/16/16
 Date Analyzed: 1/16/16
 Time Analyzed: 17:07
 Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company
Client Sample ID: Porter Ranch Community School
Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215
 ALS Sample ID: P1600215-002

Test Code: ASTM D 5504-12
 Instrument ID: Agilent 7890A/GC22/SCD
 Analyst: Mike Conejo
 Sample Type: 1 L Zefon Bag
 Test Notes:

Date Collected: 1/16/16
 Time Collected: 02:30
 Date Received: 1/16/16
 Date Analyzed: 1/16/16
 Time Analyzed: 17:18
 Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Galileo/Donatello

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

ALS Sample ID: P1600215-003

Test Code: ASTM D 5504-12

Instrument ID: Agilent 7890A/GC22/SCD

Analyst: Mike Conejo

Sample Type: 1 L Zefon Bag

Test Notes:

Date Collected: 1/16/16

Time Collected: 02:55

Date Received: 1/16/16

Date Analyzed: 1/16/16

Time Analyzed: 17:29

Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Porter Ranch Estates

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

ALS Sample ID: P1600215-004

Test Code: ASTM D 5504-12

Instrument ID: Agilent 7890A/GC22/SCD

Analyst: Mike Conejo

Sample Type: 1 L Zefon Bag

Test Notes:

Date Collected: 1/16/16

Time Collected: 03:19

Date Received: 1/16/16

Date Analyzed: 1/16/16

Time Analyzed: 17:41

Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Highlands 1

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

ALS Sample ID: P1600215-005

Test Code: ASTM D 5504-12

Instrument ID: Agilent 7890A/GC22/SCD

Analyst: Mike Conejo

Sample Type: 1 L Zefon Bag

Test Notes:

Date Collected: 1/16/16

Time Collected: 03:41

Date Received: 1/16/16

Date Analyzed: 1/16/16

Time Analyzed: 17:52

Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Highlands 3

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

ALS Sample ID: P1600215-006

Test Code: ASTM D 5504-12

Instrument ID: Agilent 7890A/GC22/SCD

Analyst: Mike Conejo

Sample Type: 1 L Zefon Bag

Test Notes:

Date Collected: 1/16/16

Time Collected: 04:02

Date Received: 1/16/16

Date Analyzed: 1/16/16

Time Analyzed: 18:03

Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Porter Ranch Estates 3

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

ALS Sample ID: P1600215-007

Test Code: ASTM D 5504-12

Instrument ID: Agilent 7890A/GC22/SCD

Analyst: Mike Conejo

Sample Type: 1 L Zefon Bag

Test Notes:

Date Collected: 1/16/16

Time Collected: 04:25

Date Received: 1/16/16

Date Analyzed: 1/16/16

Time Analyzed: 18:14

Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company
Client Sample ID: Highlands 2
Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215
 ALS Sample ID: P1600215-008

Test Code: ASTM D 5504-12
 Instrument ID: Agilent 7890A/GC22/SCD
 Analyst: Mike Conejo
 Sample Type: 1 L Zefon Bag
 Test Notes:

Date Collected: 1/16/16
 Time Collected: 04:46
 Date Received: 1/16/16
 Date Analyzed: 1/16/16
 Time Analyzed: 18:25
 Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company
Client Sample ID: Castlebay Elementary School
Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215
 ALS Sample ID: P1600215-009

Test Code: ASTM D 5504-12
 Instrument ID: Agilent 7890A/GC22/SCD
 Analyst: Mike Conejo
 Sample Type: 1 L Zefon Bag
 Test Notes:

Date Collected: 1/16/16
 Time Collected: 05:08
 Date Received: 1/16/16
 Date Analyzed: 1/16/16
 Time Analyzed: 18:37
 Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Starter Set Preschool

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

ALS Sample ID: P1600215-010

Test Code: ASTM D 5504-12

Instrument ID: Agilent 7890A/GC22/SCD

Analyst: Mike Conejo

Sample Type: 1 L Zefon Bag

Test Notes:

Date Collected: 1/16/16

Time Collected: 05:27

Date Received: 1/16/16

Date Analyzed: 1/16/16

Time Analyzed: 18:48

Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company
Client Sample ID: Porter Ridge Park
Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215
 ALS Sample ID: P1600215-011

Test Code: ASTM D 5504-12
 Instrument ID: Agilent 7890A/GC22/SCD
 Analyst: Mike Conejo
 Sample Type: 1 L Zefon Bag
 Test Notes:

Date Collected: 1/16/16
 Time Collected: 05:45
 Date Received: 1/16/16
 Date Analyzed: 1/16/16
 Time Analyzed: 19:24
 Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company
Client Sample ID: Method Blank
Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215
 ALS Sample ID: P160116-MB

Test Code: ASTM D 5504-12
 Instrument ID: Agilent 7890A/GC22/SCD
 Analyst: Mike Conejo
 Sample Type: 1 L Zefon Bag
 Test Notes:

Date Collected: NA
 Time Collected: NA
 Date Received: NA
 Date Analyzed: 1/16/16
 Time Analyzed: 16:40
 Volume(s) Analyzed: 2.0 ml(s)

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	5.0	
74-93-1	Methyl Mercaptan	ND	2.5	
75-08-1	Ethyl Mercaptan	ND	2.5	
75-18-3	Dimethyl Sulfide	ND	2.5	
75-15-0	Carbon Disulfide	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	2.5	
75-66-1	tert-Butyl Mercaptan	ND	2.5	
107-03-9	n-Propyl Mercaptan	ND	2.5	
110-01-0	Tetrahydrothiophene	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Lab Control Sample

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

ALS Sample ID: P160116-LCS

Test Code: ASTM D 5504-12

Instrument ID: Agilent 7890A/GC22/SCD

Analyst: Mike Conejo

Sample Type: 1 L Zefon Bag

Test Notes:

Date Collected: NA

Date Received: NA

Date Analyzed: 1/16/16

Volume(s) Analyzed: NA ml(s)

CAS #	Compound	Spike Amount ppbV	Result ppbV	% Recovery	ALS Acceptance Limits	Data Qualifier
7783-06-4	Hydrogen Sulfide	1,000	1,090	109	65-138	
463-58-1	Carbonyl Sulfide	1,000	1,000	100	60-135	
74-93-1	Methyl Mercaptan	1,000	1,070	107	57-140	

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Mason/Corbin

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-001

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00957

Initial Pressure (psig): -1.29 Final Pressure (psig): 0.97

Canister Dilution Factor: 1.17

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.30	0.037	
108-88-3	Toluene	0.55	0.16	
100-41-4	Ethylbenzene	ND	0.13	
179601-23-1	m,p-Xylenes	0.26	0.13	
95-47-6	o-Xylene	ND	0.13	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Porter Ranch Community School

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-002

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00919

Initial Pressure (psig): -0.58 Final Pressure (psig): 1.99

Canister Dilution Factor: 1.18

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.31	0.037	
108-88-3	Toluene	0.59	0.16	
100-41-4	Ethylbenzene	ND	0.14	
179601-23-1	m,p-Xylenes	0.28	0.14	
95-47-6	o-Xylene	ND	0.14	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Galileo/Donatello

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-003

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00946

Initial Pressure (psig): -2.11 Final Pressure (psig): 1.02

Canister Dilution Factor: 1.25

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.31	0.039	
108-88-3	Toluene	0.58	0.17	
100-41-4	Ethylbenzene	ND	0.14	
179601-23-1	m,p-Xylenes	0.27	0.14	
95-47-6	o-Xylene	ND	0.14	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Porter Ranch Estates

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-004

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00928

Initial Pressure (psig): -1.65 Final Pressure (psig): 1.18

Canister Dilution Factor: 1.22

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.27	0.038	
108-88-3	Toluene	0.50	0.16	
100-41-4	Ethylbenzene	ND	0.14	
179601-23-1	m,p-Xylenes	0.23	0.14	
95-47-6	o-Xylene	ND	0.14	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Highlands 1

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-005

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00939

Initial Pressure (psig): -2.13 Final Pressure (psig): 1.03

Canister Dilution Factor: 1.25

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.28	0.039	
108-88-3	Toluene	0.53	0.17	
100-41-4	Ethylbenzene	ND	0.14	
179601-23-1	m,p-Xylenes	0.26	0.14	
95-47-6	o-Xylene	ND	0.14	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Highlands 3

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-006

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00989

Initial Pressure (psig): -1.62 Final Pressure (psig): 1.04

Canister Dilution Factor: 1.20

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.43	0.038	
108-88-3	Toluene	0.72	0.16	
100-41-4	Ethylbenzene	ND	0.14	
179601-23-1	m,p-Xylenes	0.30	0.14	
95-47-6	o-Xylene	ND	0.14	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Porter Ranch Estates 3

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-007

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00971

Initial Pressure (psig): -2.19 Final Pressure (psig): 1.03

Canister Dilution Factor: 1.26

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.37	0.039	
108-88-3	Toluene	0.64	0.17	
100-41-4	Ethylbenzene	ND	0.15	
179601-23-1	m,p-Xylenes	0.29	0.15	
95-47-6	o-Xylene	ND	0.15	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Highlands 2

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-008

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00901

Initial Pressure (psig): -1.41 Final Pressure (psig): 0.99

Canister Dilution Factor: 1.18

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.43	0.037	
108-88-3	Toluene	0.65	0.16	
100-41-4	Ethylbenzene	ND	0.14	
179601-23-1	m,p-Xylenes	0.28	0.14	
95-47-6	o-Xylene	ND	0.14	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Castlebay Elementary School

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-009

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00967

Initial Pressure (psig): -1.58 Final Pressure (psig): 1.00

Canister Dilution Factor: 1.20

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.38	0.038	
108-88-3	Toluene	0.60	0.16	
100-41-4	Ethylbenzene	ND	0.14	
179601-23-1	m,p-Xylenes	0.26	0.14	
95-47-6	o-Xylene	ND	0.14	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Starter Set Preschool

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-010

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00903

Initial Pressure (psig): -2.91 Final Pressure (psig): 1.01

Canister Dilution Factor: 1.33

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.25	0.042	
108-88-3	Toluene	0.45	0.18	
100-41-4	Ethylbenzene	ND	0.15	
179601-23-1	m,p-Xylenes	0.19	0.15	
95-47-6	o-Xylene	ND	0.15	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Porter Ridge Park

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P1600215-011

Test Code: EPA TO-15

Date Collected: 1/16/16

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: 1/16/16

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS00986

Initial Pressure (psig): -1.69 Final Pressure (psig): 1.01

Canister Dilution Factor: 1.21

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	0.24	0.038	
108-88-3	Toluene	0.35	0.16	
100-41-4	Ethylbenzene	ND	0.14	
179601-23-1	m,p-Xylenes	0.16	0.14	
95-47-6	o-Xylene	ND	0.14	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Method Blank

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P160116-MB

Test Code: EPA TO-15

Date Collected: NA

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: NA

Analyst: Evelyn Alvarez

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Canister Dilution Factor: 1.00

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	ND	0.031	
108-88-3	Toluene	ND	0.13	
100-41-4	Ethylbenzene	ND	0.12	
179601-23-1	m,p-Xylenes	ND	0.12	
95-47-6	o-Xylene	ND	0.12	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Method Blank

ALS Project ID: P1600215

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Sample ID: P160116-MB

Test Code: EPA TO-15

Date Collected: NA

Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16

Date Received: NA

Analyst: Lusine Hakobyan

Date Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Canister Dilution Factor: 1.00

CAS #	Compound	Result ppbV	MRL ppbV	Data Qualifier
71-43-2	Benzene	ND	0.031	
108-88-3	Toluene	ND	0.13	
100-41-4	Ethylbenzene	ND	0.12	
179601-23-1	m,p-Xylenes	ND	0.12	
95-47-6	o-Xylene	ND	0.12	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

SURROGATE SPIKE RECOVERY RESULTS

Page 1 of 1

Client: Southern California Gas Company

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

Test Code: EPA TO-15

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8
Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16

Date(s) Collected: 1/16/16

Date(s) Received: 1/16/16

Analyst: Lusine Hakobyan/Evelyn Alvarez

Date(s) Analyzed: 1/16/16

Sample Type: 6.0 L Silonite Canister(s)

Test Notes:

Client Sample ID	ALS Sample ID	1,2-Dichloroethane-d4	Toluene-d8	Bromofluorobenzene	Acceptance Limits	Data Qualifier
		Percent Recovered	Percent Recovered	Percent Recovered		
Method Blank	P160116-MB	87	101	113	70-130	
Method Blank	P160116-MB	101	103	99	70-130	
Lab Control Sample	P160116-LCS	84	99	111	70-130	
Lab Control Sample	P160116-LCS	97	99	103	70-130	
Mason/Corbin	P1600215-001	101	100	102	70-130	
Porter Ranch Community School	P1600215-002	101	100	101	70-130	
Galileo/Donatello	P1600215-003	101	100	101	70-130	
Porter Ranch Estates	P1600215-004	101	100	102	70-130	
Highlands 1	P1600215-005	101	100	101	70-130	
Highlands 3	P1600215-006	89	101	113	70-130	
Porter Ranch Estates 3	P1600215-007	89	102	112	70-130	
Highlands 2	P1600215-008	90	101	112	70-130	
Castlebay Elementary School	P1600215-009	91	101	112	70-130	
Starter Set Preschool	P1600215-010	90	102	113	70-130	
Porter Ridge Park	P1600215-011	91	101	111	70-130	

Surrogate percent recovery is verified and accepted based on the on-column result.

Reported results are shown in concentration units and as a result of the calculation, may vary slightly from the on-column percent recovery.

ALS ENVIRONMENTAL

LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Lab Control Sample

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

ALS Sample ID: P160116-LCS

Test Code: EPA TO-15

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Analyst: Evelyn Alvarez

Sample Type: 6.0 L Silonite Canister

Test Notes:

Date Collected: NA

Date Received: NA

Date Analyzed: 1/16/16

Volume(s) Analyzed: 0.125 Liter(s)

CAS #	Compound	Spike Amount ppbV	Result ppbV	% Recovery	ALS	Data Qualifier
					Acceptance Limits	
71-43-2	Benzene	70.8	61.6	87	61-110	
108-88-3	Toluene	57.9	52.2	90	67-117	
100-41-4	Ethylbenzene	50.2	47.8	95	69-123	
179601-23-1	m,p-Xylenes	98.6	93.0	94	67-125	
95-47-6	o-Xylene	48.4	46.8	97	67-124	

Laboratory Control Sample percent recovery is verified and accepted based on the on-column result.

Reported results are shown in concentration units and as a result of the calculation, may vary slightly.

ALS ENVIRONMENTAL

LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: Southern California Gas Company

Client Sample ID: Lab Control Sample

Client Project ID: SOUTHERN CALIFORNIA GAS - ALISO CANYON STATION / 14424

ALS Project ID: P1600215

ALS Sample ID: P160116-LCS

Test Code: EPA TO-15

Instrument ID: Tekmar AUTOCAN/Agilent 5975Cinert/6890N/MS16

Analyst: Lusine Hakobyan

Sample Type: 6.0 L Silonite Canister

Test Notes:

Date Collected: NA

Date Received: NA

Date Analyzed: 1/16/16

Volume(s) Analyzed: 0.125 Liter(s)

CAS #	Compound	Spike Amount ppbV	Result ppbV	% Recovery	ALS	Data Qualifier
					Acceptance Limits	
71-43-2	Benzene	70.8	57.9	82	61-110	
108-88-3	Toluene	57.9	53.5	92	67-117	
100-41-4	Ethylbenzene	50.2	50.3	100	69-123	
179601-23-1	m,p-Xylenes	98.6	97.7	99	67-125	
95-47-6	o-Xylene	48.4	48.1	99	67-124	

Laboratory Control Sample percent recovery is verified and accepted based on the on-column result.

Reported results are shown in concentration units and as a result of the calculation, may vary slightly.