Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	AirKinetics, Inc.
CLIENT PROJECT:	SCG - Aliso Canyon
LAB PROJ NO:	15-1051
SAMPLING DATE:	December 30, 2015
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (1 of 4)

Analysis Method	EPA TO-14				
Detection Limits	1.0 PPBV				
ANALYTE	Sample ID	Porter Ranch Community School	Holleigh Bernson Park - BB Court	Porter Ranch Estates - Sesnon Inlet	Porter Ranch Estates 2
	Sample Time	0301-0311	0318-0328	0335-0345	0351-0401
	Sampling Date	12/30/15	12/30/15	12/30/15	12/30/15
	Lab ID	36415-1	36415-2	36415-3	36415-4
	Units	PPBV	PPBV	PPBV	PPBV
Benzene		<1.0	<1.0	<1.0	<1.0
Toluene		<1.0	<1.0	<1.0	<1.0
Ethyl Benzene		<1.0	<1.0	<1.0	<1.0
m, p Xylene		<1.0	<1.0	<1.0	<1.0
o- Xylene		<1.0	<1.0	<1.0	<1.0

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
CLIENT PROJECT:	**SCG - Aliso Canyon**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (2 of 4)

Analysis Method	EPA TO-14				
Detection Limits	**1.0 PPBV**				
	Sample ID	**Highlands 1**	**Highlands 3**	**Highlands 2**	**Castlebay Elementary**	**Starter Set Preschool**
	Sample Time	**0406-0416**	**0421-0431**	**0436-0446**	**0454-0504**	**0511-0521**
	Sampling Date	**12/30/15**	**12/30/15**	**12/30/15**	**12/30/15**	**12/30/15**
	Lab ID	**36415-5**	**36415-6**	**36415-7**	**36415-8**	**36415-9**
ANALYTE	**Units**	**PPBV**	**PPBV**	**PPBV**	**PPBV**	**PPBV**
Benzene		<1.0	<1.0	<1.0	<1.0	<1.0
Toluene		<1.0	<1.0	<1.0	<1.0	<1.0
Ethyl Benzene		<1.0	<1.0	<1.0	<1.0	<1.0
m, p Xylene		<1.0	<1.0	<1.0	<1.0	<1.0
o- Xylene		<1.0	<1.0	<1.0	<1.0	<1.0

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
CLIENT PROJECT:	**SCG - Aliso Canyon**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (3 of 4)

Analysis Method	EPA TO-14				
Detection Limits	1.0 PPBV				
ANALYTE / Sample ID	Porter Ridge Park (End of Sesnon)	SS-3H	SS-09	SF-1	SF-2/5
Sample Time	0528-0538	0136-0146	0156-0206	0640-0650	0700-0710
Sampling Date	12/30/15	12/30/15	12/30/15	12/30/15	12/30/15
Lab ID	36415-10	36415-11	36415-12	36415-13	36415-14
Units	PPBV	PPBV	PPBV	PPBV	PPBV
Benzene	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	<1.0	<1.0	<1.0	<1.0	<1.0
Ethyl Benzene	<1.0	<1.0	<1.0	<1.0	<1.0
m, p Xylene	<1.0	<1.0	<1.0	<1.0	<1.0
o- Xylene	<1.0	<1.0	<1.0	<1.0	<1.0

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
CLIENT PROJECT:	**SCG - Aliso Canyon**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (4 of 4)

Analysis Method	**EPA TO-14**				
Detection Limits	**1.0 PPBV**				
	Sample ID	**R-1**	**P-40**	**MA1-A**	**T-3 Low Rd**	**T-3 High Rd**
	Sample Time	**0735-0745**	**0619-0629**	**0552-0602**	**0236-0246**	**0218-0228**
	Sampling Date	**12/30/15**	**12/30/15**	**12/30/15**	**12/30/15**	**12/30/15**
	Lab ID	**36415-15**	**36415-16**	**36415-17**	**36415-18**	**36415-19**
ANALYTE	**Units**	**PPBV**	**PPBV**	**PPBV**	**PPBV**	**PPBV**
Benzene		**<1.0**	<1.0	<1.0	<1.0	<1.0
Toluene		<1.0	<1.0	<1.0	<1.0	<1.0
Ethyl Benzene		<1.0	<1.0	<1.0	<1.0	<1.0
m, p Xylene		<1.0	<1.0	<1.0	<1.0	<1.0
o- Xylene		<1.0	<1.0	<1.0	<1.0	<1.0

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

BTEX - Laboratory Analysis Report (QA-QC)

Sample ID: SS-3H | Sample ID: 36415-11

Analyte	Analysis #1 PPBV	Analysis #2 PPBV	Mean PPBV	% Difference from the Mean*
Benzene	<1.0	<1.0	<1.0	N/A
Toluene	<1.0	<1.0	<1.0	N/A
Ethyl Benzene	<1.0	<1.0	<1.0	N/A
m, p Xylene	<1.0	<1.0	<1.0	N/A
o- Xylene	<1.0	<1.0	<1.0	N/A

N/A: Not Applicable

*:Must be ≤10%

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Quality Control/Quality Assurance Report

I- Blank

Lab ID	Result (PPBV)
Benzene	<1.0
Toluene	<1.0
Ethyl Benzene	<1.0
m, p Xylene	<1.0
o- Xylene	<1.0

II- Initial Calibration Verification Standard (ICV)

Lab ID	Theoretical Value PPBV	Tested Value PPBV	% Recovery*
Benzene	20.6	20.9	101%
Toluene	21.0	22.3	106%
Ethyl Benzene	20.8	20.2	97%
m, p Xylene	41.2	42.3	103%
o- Xylene	19.9	20.2	102%

* Must be ±10%

III- Closing Calibration Verification Standard (CCV)

Lab ID	Theoretical Value PPBV	Tested Value PPBV	% Recovery*
Benzene	10.3	10.2	99%
Toluene	10.5	10.8	102%
Ethyl Benzene	10.4	10.2	98%
m, p Xylene	20.6	20.6	100%
o- Xylene	10.0	10.1	101%

* Must be ±10%

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
PROJECT NO:	**SCG - Aliso Canyon**
LABORATORY NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (1 of 4)

Analysis Method	SCAQMD 307-91			
Detection Limits	5.0 PPBV			
Analyte / Client ID	Porter Ranch Community School	Holleigh Bernson Park - BB Court	Porter Ranch Estates - Sesnon Inlet	Porter Ranch Estates 2
Sampling Time	0301-0311	0318-0328	0335-0345	0351-0401
Sampling Date	12/30/15	12/30/15	12/30/15	12/30/15
Lab ID	36415-1	36415-2	36415-3	36415-4
Units	PPBV	PPBV	PPBV	PPBV
Hydrogen Sulfide	<5.0	<5.0	<5.0	<5.0
Carbonyl Sulfide	<5.0	<5.0	<5.0	<5.0
Methyl Mercaptan	<5.0	<5.0	<5.0	<5.0
Ethyl Mercaptan	<5.0	<5.0	<5.0	<5.0
Carbon Disulfide	<5.0	<5.0	<5.0	<5.0
t- Butyle Mercaptan	<5.0	<5.0	<5.0	<5.0
Tetra hydro-thiophene	<5.0	<5.0	<5.0	<5.0
Un-Identified S Compounds	<5.0	<5.0	<5.0	<5.0
TRS as H2S	**<40.0**	**<40.0**	**<40.0**	**<40.0**

TRS: Total Reduced Sulfur as Hydrogen Sulfide

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
PROJECT NO:	**SCG - Aliso Canyon**
LABORATORY NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (2 of 4)

Analysis Method	**SCAQMD 307-91**				
Detection Limits	**5.0 PPBV**				
Analyte / **Client ID**	**Highlands 1**	**Highlands 3**	**Highlands 2**	**Castlebay Elementary**	**Starter Set Preschool**
Sampling Time	**0406-0416**	**0421-0431**	**0436-0446**	**0454-0504**	**0511-0521**
Sampling Date	**12/30/15**	**12/30/15**	**12/30/15**	**12/30/15**	**12/30/15**
Lab ID	**36415-5**	**36415-6**	**36415-7**	**36415-8**	**36415-9**
Units	**PPBV**	**PPBV**	**PPBV**	**PPBV**	**PPBV**
Hydrogen Sulfide	<5.0	<5.0	<5.0	<5.0	<5.0
Carbonyl Sulfide	<5.0	<5.0	<5.0	<5.0	<5.0
Methyl Mercaptan	<5.0	<5.0	<5.0	<5.0	<5.0
Ethyl Mercaptan	<5.0	<5.0	<5.0	<5.0	<5.0
Carbon Disulfide	<5.0	<5.0	<5.0	<5.0	<5.0
t- Butyle Mercaptan	<5.0	<5.0	<5.0	<5.0	<5.0
Tetra hydro-thiophene	<5.0	<5.0	<5.0	<5.0	<5.0
Un-Identified S Compounds	<5.0	<5.0	<5.0	<5.0	<5.0
TRS as H2S	**<40.0**	**<40.0**	**<40.0**	**<40.0**	**<40.0**

TRS: Total Reduced Sulfur as Hydrogen Sulfide

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
PROJECT NO:	**SCG - Aliso Canyon**
LABORATORY NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (3 of 4)

Analysis Method	SCAQMD 307-91				
Detection Limits	5.0 PPBV				
Analyte / Client ID	Porter Ridge Park (End of Sesnon)	SS-3H	SS-09	SF-1	SF-2/5
Sampling Time	0528-0538	0136-0146	0156-0206	0640-0650	0700-0710
Sampling Date	12/30/15	12/30/15	12/30/15	12/30/15	12/30/15
Lab ID	36415-10	36415-11	36415-12	36415-13	36415-14
Units	PPBV	PPBV	PPBV	PPBV	PPBV
Hydrogen Sulfide	<5.0	<5.0	<5.0	<5.0	<5.0
Carbonyl Sulfide	<5.0	<5.0	<5.0	<5.0	<5.0
Methyl Mercaptan	<5.0	<5.0	<5.0	<5.0	<5.0
Ethyl Mercaptan	<5.0	<5.0	<5.0	<5.0	<5.0
Carbon Disulfide	<5.0	<5.0	<5.0	<5.0	<5.0
t- Butyle Mercaptan	<5.0	<5.0	<5.0	<5.0	<5.0
Tetra hydro-thiophene	<5.0	<5.0	<5.0	<5.0	<5.0
Un-Identified S Compounds	<5.0	<5.0	<5.0	<5.0	<5.0
TRS as H2S	<40.0	<40.0	<40.0	<40.0	<40.0

TRS: Total Reduced Sulfur as Hydrogen Sulfide

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
PROJECT NO:	**SCG - Aliso Canyon**
LABORATORY NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (4 of 4)

Analysis Method	**SCAQMD 307-91**				
Detection Limits	**5.0 PPBV**				
Client ID	**R-1**	**P-40**	**MA1-A**	**T-3 Low Rd**	**T-3 High Rd**
Sampling Time	**0735-0745**	**0619-0629**	**0552-0602**	**0236-0246**	**0218-0228**
Sampling Date	**12/30/15**	**12/30/15**	**12/30/15**	**12/30/15**	**12/30/15**
Lab ID	**36415-15**	**36415-16**	**36415-17**	**36415-18**	**36415-19**
Analyte / Units	**PPBV**	**PPBV**	**PPBV**	**PPBV**	**PPBV**
Hydrogen Sulfide	<5.0	<5.0	<5.0	<5.0	<5.0
Carbonyl Sulfide	<5.0	<5.0	<5.0	<5.0	<5.0
Methyl Mercaptan	<5.0	<5.0	<5.0	<5.0	<5.0
Ethyl Mercaptan	<5.0	<5.0	<5.0	<5.0	<5.0
Carbon Disulfide	<5.0	<5.0	<5.0	<5.0	<5.0
t- Butyle Mercaptan	<5.0	<5.0	<5.0	<5.0	<5.0
Tetra hydro-thiophene	<5.0	<5.0	<5.0	<5.0	<5.0
Un-Identified S Compounds	<5.0	<5.0	<5.0	<5.0	<5.0
TRS as H2S	**<40.0**	**<40.0**	**<40.0**	**<40.0**	**<40.0**

TRS: Total Reduced Sulfur as Hydrogen Sulfide

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
CLIENT PROJECT:	**SCG - Aliso Canyon**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Quality Assurance Report

Duplicate Analysis

SAMPLE ID: SS-3H LAB ID: 36415-11

Analysis Method		**SCAQMD 307-91**		
Detection Limit		**5.0 PPBV**		
Analyte	**Aver. Conc. PPBV**	**Dil. Factor Ambient Air**	**DF*A/CF PPBV**	**% Sample Recovery**
Hydrogen Sulfide	<5.0	1	<5.0	N/A
Carbonyl Sulfide	<5.0	1	<5.0	N/A
Methyl Mercaptan	<5.0	1	<5.0	N/A
Ethyl Mercaptan	<5.0	1	<5.0	N/A
Carbon Disulfide	<5.0	1	<5.0	N/A
t- Butyle Mercaptan	<5.0	1	<5.0	N/A
Tetra hydro-thiophene	<5.0	1	<5.0	N/A
Unidentified S Compounds	<5.0	1	<5.0	N/A
Total Sulfur as H2S	**<40.0**	**1**	**<40.0**	**N/A**

N/A: Not Applicable

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
CLIENT PROJECT:	**SCG - Aliso Canyon**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (1 of 4)

Analysis Method	EPA 18			
Detection Limits	0.1 PPMV			
Sample ID	Porter Ranch Community School	Holleigh Bernson Park - BB Court	Porter Ranch Estates - Sesnon Inlet	Porter Ranch Estates 2
Sample Time	0301-0311	0318-0328	0335-0345	0351-0401
Sampling Date	12/30/15	12/30/15	12/30/15	12/30/15
Lab ID	36415-1	36415-2	36415-3	36415-4
ANALYTE / Units	PPMV	PPMV	PPMV	PPMV
C1 - Methane	3.46	3.62	4.35	4.84
C2 - Ethane, Ethylene	<0.1	<0.1	<0.1	0.16
C3 - Propane	<0.1	<0.1	<0.1	<0.1
Iso Butane	<0.1	<0.1	<0.1	<0.1
n- Butane	<0.1	<0.1	<0.1	<0.1
Iso-Pentane	<0.1	<0.1	<0.1	<0.1
n-Pentane	<0.1	<0.1	<0.1	<0.1
C6 - Hexanes	<0.1	<0.1	<0.1	<0.1
C6+	<0.1	<0.1	<0.1	<0.1
TNMHC	<1.0	<1.0	<1.0	<1.0

TNMHC - Total Non-Methane HydroCarbon

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
CLIENT PROJECT:	**SCG - Aliso Canyon**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (2 of 4)

Analysis Method	EPA 18				
Detection Limits	0.1 PPMV				
	Sample ID	Highlands 1	Highlands 3	Highlands 2	Castlebay Elementary	Starter Set Preschool
	Sample Time	0406-0416	0421-0431	0436-0446	0454-0504	0511-0521
	Sampling Date	12/30/15	12/30/15	12/30/15	12/30/15	12/30/15
	Lab ID	36415-5	36415-6	36415-7	36415-8	36415-9
ANALYTE	Units	PPMV	PPMV	PPMV	PPMV	PPMV
C1 - Methane		3.70	4.45	7.80	12.62	12.61
C2 - Ethane, Ethylene		<0.1	<0.1	0.24	0.46	0.45
C3 - Propane		<0.1	<0.1	<0.1	<0.1	<0.1
Iso Butane		<0.1	<0.1	<0.1	<0.1	<0.1
n- Butane		<0.1	<0.1	<0.1	<0.1	<0.1
Iso-Pentane		<0.1	<0.1	<0.1	<0.1	<0.1
n-Pentane		<0.1	<0.1	<0.1	<0.1	<0.1
C6 - Hexanes		<0.1	<0.1	<0.1	<0.1	<0.1
C6+		<0.1	<0.1	<0.1	<0.1	<0.1
TNMHC		<1.0	<1.0	<1.0	<1.0	<1.0

TNMHC - Total Non-Methane HydroCarbon

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
CLIENT PROJECT:	**SCG - Aliso Canyon**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (3 of 4)

Analysis Method	EPA 18				
Detection Limits	0.1 PPMV				
	Sample ID	Porter Ridge Park (End of Sesnon)	SS-3H	SS-09	SF-1	SF-2/5
	Sample Time	0528-0538	0136-0146	0156-0206	0640-0650	0700-0710
	Sampling Date	12/30/15	12/30/15	12/30/15	12/30/15	12/30/15
	Lab ID	36415-10	36415-11	36415-12	36415-13	36415-14
ANALYTE	Units	PPMV	PPMV	PPMV	PPMV	PPMV
C1 - Methane		7.67	50.63	78.88	4.21	34.24
C2 - Ethane, Ethylene		0.22	2.03	3.22	<0.1	1.34
C3 - Propane		<0.1	0.16	0.20	<0.1	0.13
Iso Butane		<0.1	<0.1	<0.1	<0.1	<0.1
n- Butane		<0.1	<0.1	<0.1	<0.1	<0.1
Iso-Pentane		<0.1	<0.1	<0.1	<0.1	<0.1
n-Pentane		<0.1	<0.1	<0.1	<0.1	<0.1
C6 - Hexanes		<0.1	<0.1	<0.1	<0.1	<0.1
C6+		<0.1	<0.1	<0.1	<0.1	<0.1
TNMHC		<1.0	4.54	7.04	<1.0	3.07

TNMHC - Total Non-Methane HydroCarbon

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
CLIENT PROJECT:	**SCG - Aliso Canyon**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Laboratory Analysis Report (4 of 4)

Analysis Method	EPA 18				
Detection Limits	**0.1 PPMV**				
	Sample ID	**R-1**	**P-40**	**MA1-A**	**T-3 Low Rd**	**T-3 High Rd**
	Sample Time	**0735-0745**	**0619-0629**	**0552-0602**	**0236-0246**	**0218-0228**
	Sampling Date	**12/30/15**	**12/30/15**	**12/30/15**	**12/30/15**	**12/30/15**
	Lab ID	**36415-15**	**36415-16**	**36415-17**	**36415-18**	**36415-19**
ANALYTE	**Units**	**PPMV**	**PPMV**	**PPMV**	**PPMV**	**PPMV**
C1 - Methane		6.86	28.20	9.91	19.14	34.00
C2 - Ethane, Ethylene		0.23	1.06	0.32	0.68	1.28
C3 - Propane		<0.1	<0.1	<0.1	0.11	<0.1
Iso Butane		<0.1	<0.1	<0.1	<0.1	<0.1
n- Butane		<0.1	<0.1	<0.1	<0.1	<0.1
Iso-Pentane		<0.1	<0.1	<0.1	<0.1	<0.1
n-Pentane		<0.1	<0.1	<0.1	<0.1	<0.1
C6 - Hexanes		<0.1	<0.1	<0.1	<0.1	<0.1
C6+		<0.1	<0.1	<0.1	<0.1	<0.1
TNMHC		<1.0	2.12	<1.0	1.69	2.56

TNMHC - Total Non-Methane HydroCarbon

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

EPA 18 - Laboratory Analysis Report (QA-QC)

Sample ID: SS-3H — Sample ID: 36415-11

Analyte	Analysis #1 PPMV	Analysis #2 PPMV	Mean PPMV	% Difference from the Mean*
C1 - Methane	50.63	52.33	51.48	1.7
C2 - Ethane, Ethylene	2.03	2.03	2.03	0.0
C3 - Propane	0.16	0.17	0.17	3.0
iso-Butane	<0.1	<0.1	<0.1	N/A
n-Butane	<0.1	<0.1	<0.1	N/A
iso- Pentane	<0.1	<0.1	<0.1	N/A
n-Pentane	<0.1	<0.1	<0.1	N/A
C6 - Hexanes	<0.1	<0.1	<0.1	N/A
C6+	<0.1	<0.1	<0.1	N/A

N/A: Not Applicable

*:Must be ≤10%

Dr. Andrew Kitto
President

Quantum Analytical Services Inc.
www.quantumairlab.com
1210 E. 223rd Street, Suite #314 • Carson, California 90745 • 310/830-2226 • Fax 310/830-2227

CLIENT	**AirKinetics, Inc.**
LAB PROJ NO:	**15-1051**
SAMPLING DATE:	**December 30, 2015**
RECEIVING DATE:	December 30, 2015
ANALYSIS DATE:	December 30, 2015
REPORT DATE:	December 31, 2015

Quality Control/Quality Assurance Report

I- Blank

Lab ID	Results PPMV
C1 - Methane	<0.1
C2 - Ethane	<0.1
C3 - Propane	<0.1
C4 - Butane	<0.1
C5 - Pentane	<0.1
C6 - Hexane	<0.1

II- Initial Calibration Verification Standard (ICV)

Lab ID	Theoretical Value PPMV	Tested Value PPMV	% Recovery*
C1 - Methane	14.99	14.88	99%
C2 - Ethane	15.12	14.85	98%
C3 - Propane	15.27	15.20	100%
C4 - Butane	15.04	14.92	99%
C5 - Pentane	15.04	14.88	99%
C6 - Hexane	14.95	14.43	97%

* Must be ±10%

III- Closing Calibration Verification Standard (CCV)

Lab ID	Theoretical Value PPMV	Tested Value PPMV	% Recovery*
C1 - Methane	3.00	3.09	103%
C2 - Ethane	3.02	3.02	100%
C3 - Propane	3.05	2.91	95%
C4 - Butane	3.01	2.93	97%
C5 - Pentane	3.01	2.98	99%
C6 - Hexane	2.99	2.98	100%

* Must be ±10%

Dr. Andrew Kitto
President

1 of 2

15-1051

AirKinetics, Inc.

EMISSIONS CHARACTERIZATION AND TESTING SERVICES

REQUEST FOR ANALYSIS

PURCHASE ORDER No.: Verbal per Son Bui

JOB NAME: SCG - Aliso Canyon

LABORATORY: Quantum Analytical Services

JOB No.: 14424

DATE SAMPLES WERE TRANSMITTED: 12-30-15

EXPECTED DATE OF RESULTS: —

SAMPLE MATRIX: Ambient Air

TYPE OF ANALYSIS REQUIRED: Please analyze samples for BTEX in accordance with EPA method TO-14 procedures, for speciated hydrocarbons by EPA method 18, and for Total Sulfur in accordance with SCAQMD Method 307-91 procedures. Please observe the maximum 24-hr holding time.

LAB ID 36415-1 -2 -3 -4 -5 -6 -7 -8 -9 -10

Sample / Run ID #	Sample Collection Date/Time	Sample Components	Sample Matrix	Condition of Samples *
Porter Ranch Community School	12-30-15 0301-0311	Tedlar Bag	Ambient Air	
Holleigh Bernson Park - BB Court	12-30-15 0318-0328	Tedlar Bag	Ambient Air	
Porter Ranch Estates - Sesnon Inlet	12-30-15 0335-0345	Tedlar Bag	Ambient Air	
Porter Ranch Estates 2	12-30-15 0351-0401	Tedlar Bag	Ambient Air	
Highlands 1	12-30-15 0406-0416	Tedlar Bag	Ambient Air	
Highlands 3	12-30-15 0421-0431	Tedlar Bag	Ambient Air	
Highlands 2	12-30-15 0436-0446	Tedlar Bag	Ambient Air	
Castlebay Elementary	12-30-15 0454-0504	Tedlar Bag	Ambient Air	
Starter Set Preschool	12-30-15 0511-0521	Tedlar Bag	Ambient Air	
Porter Ridge Park (end of Sesnon)	12-30-15 0528-0538	Tedlar Bag	Ambient Air	

* For Laboratory Comments (temp., labels, etc.)

Samples Relinquished by: [signature] Date/Time: 12-30-15 0924

Transported by: [signature] Date/Time: 12-30-15 0924

Transported to: Quantum Analytical Services, Inc. (310) 830-2226
1210 E. 223rd Street, #314
Carson, CA 90745

Received by: [signature] Date/Time: 12/30/15 0924

*1308 S. Allec Street * Anaheim, CA 92805 * Phone (714) 254-1945 * Fax (714) 956-2350*

2 OF 2

15-1057

AirKinetics, Inc.

EMISSIONS CHARACTERIZATION AND TESTING SERVICES

REQUEST FOR ANALYSIS

PURCHASE ORDER No.: Verbal per Son Bui

JOB NAME: SCG - Aliso Canyon

LABORATORY: Quantum Analytical Services

JOB No.: 14424

DATE SAMPLES WERE TRANSMITTED: 12-30-15

EXPECTED DATE OF RESULTS: —

SAMPLE MATRIX: Ambient Air

TYPE OF ANALYSIS REQUIRED: Please analyze samples for BTEX in accordance with EPA method TO-14 procedures, for speciated hydrocarbons by EPA method 18, and for Total Sulfur in accordance with SCAQMD Method 307-91 procedures. Please observe the maximum 24-hr holding time.

LAB ID	Sample / Run ID #	Sample Collection Date/Time	Sample Components	Sample Matrix	Condition of Samples *
36415-4	SS-3H	12-30-15 0136-0146	Tedlar Bag	Ambient Air	
-12	SS-09	12-30-15 0156-0206	Tedlar Bag	Ambient Air	
-13	SF-1	12-30-15 0640-0650	Tedlar Bag	Ambient Air	
-14	SF-2/5	12-30-15 0700-0710	Tedlar Bag	Ambient Air	
-15	R-1	12-30-15 0735-0745	Tedlar Bag	Ambient Air	
-16	P-40	12-30-15 0619-0629	Tedlar Bag	Ambient Air	
-17	MA1-A	12-30-15 0552-0602	Tedlar Bag	Ambient Air	
-18	T-3 Low Road	12-30-15 0236-0246	Tedlar Bag	Ambient Air	
-19	T-3 High Road	12-30-15 0218-0228	Tedlar Bag	Ambient Air	

* For Laboratory Comments (temp., labels, etc.)

Samples Relinquished by: [signature] Date/Time: 12-30-15 0924

Transported by: [signature] Date/Time: 12-30-15 0924

Transported to: Quantum Analytical Services, Inc. (310) 830-2226
1210 E. 223rd Street, #314
Carson, CA 90745

Received by: [signature] Date/Time: 12/30/15 @ 0924

*1308 S. Allec Street * Anaheim, CA 92805 * Phone (714) 254-1945 * Fax (714) 956-2350*