

**SAN DIEGO GAS & ELECTRIC COMPANY
SOUTHERN CALIFORNIA GAS COMPANY
NORTH-SOUTH PROJECT REVENUE REQUIREMENT
(A.13-12-013)
(DATA REQUEST ORA-NSP-SCG-07)**

QUESTION 1:

For this Data Request, please refer to 49 CFR Section 192.903. Please identify which of the two methods provided in this section SoCalGas/SDG&E uses to establish a high consequence area. Namely, is the method used the one prescribed by paragraph 1 or by paragraph 2 of this subpart?

RESPONSE 1:

HCA was established per Method 1, which is outlined in Paragraph 1 of 49 CFR 192.903.

**SAN DIEGO GAS & ELECTRIC COMPANY
SOUTHERN CALIFORNIA GAS COMPANY
NORTH-SOUTH PROJECT REVENUE REQUIREMENT
(A.13-12-013)
(DATA REQUEST ORA-NSP-SCG-07)**

QUESTION 2:

Based upon whichever method is used in response to question 1, please provide a map that shows all of the high consequence areas established based upon the Updated North-South project.

RESPONSE 2:

**CONFIDENTIAL: Submitted Under the Provisions of General Order 66-C and
Section 583 of the Public Utilities Code**