

**APPLICATION OF SOUTHERN CALIFORNIA GAS COMPANY FOR ANGELES LINK PHASE 1
REASONABLENESS REVIEW (DATA REQUEST Cal PA-02)**

Date Requested: December 22, 2025 Submitted: January 15, 2026
Supplement Submitted: January 28, 2026

QUESTION 1: Page 38 of the Decision D.22-12-55 states “We adopt the following conditions on the costs that SoCalGas may record in the Angeles Link Memo Account” with item 3 stating “SoCalGas must additionally study the feasibility of a localized hydrogen hub in the Los Angeles Basin in Phase One;”

Page 51 and 52 of the Decision state “We direct SoCalGas to demonstrate meeting, at a minimum, the following additional project-specific standards to receive recovery of Phase One Costs recorded in the Angeles Link Memo Account.” With question 5 stating “How did the planning process consider and evaluate Project alternatives, including a localized hydrogen hub ...”

Page 68 of the Decision D.22-12-55 lays out “Conclusions of Law”. Item 17 on Page 70 in this section states “SoCalGas should study a localized hydrogen hub solution as part of Phase One”.

Specifically for the localized hydrogen hub:

- a) Provide the preliminary routing and configuration analysis.
 - i) If no preliminary routing and configuration analysis was conducted, please explain why.
- b) Provide the pipeline sizing and design criteria.
 - i) If no pipeline sizing and design criteria were conducted, please explain why.
- c) Provide the environmental analysis.
 - i) If no environmental analysis was conducted, please explain why.
- d) Provide the environmental social justice (ESJ) community engagement plan and ESJ screening
 - i) If no ESJ community engagement plan and ESJ screening were conducted, please explain why.
- e) Provide the evaluation of applicable safety requirements.
 - i) If no evaluation of applicable safety requirements was conducted, please explain why.
- f) Provide the greenhouse gas (ghg) emissions evaluation.
 - i) If no ghg emissions evaluation was conducted, please explain why.
- g) Provide the high-level economic analysis and cost effectiveness.
 - i) If no high-level economic analysis and cost effectiveness was conducted, please explain why.
- h) Provide the hydrogen leakage assessment.
 - i) If no hydrogen leakage assessment was conducted, please explain why.
- i) Provide the nitrogen oxides and other air emissions assessments.
 - i) If no nitrogen oxides and other air emissions assessments were conducted, please explain why.

**APPLICATION OF SOUTHERN CALIFORNIA GAS COMPANY FOR ANGELES LINK PHASE 1
REASONABLENESS REVIEW (DATA REQUEST Cal PA-02)**

Date Requested: December 22, 2025 Submitted: January 15, 2026
Supplement Submitted: January 28, 2026

- j) Provide the production planning and assessment.
 - i) If no production planning and assessment was conducted, please explain why.
- k) Provide the water resources evaluation.
 - i) If no water resources evaluation was conducted, please explain why.
- l) Provide the workforce planning and training evaluation.
 - i) If no workforce planning and training evaluation was conducted, please explain why.
- m) Provide the framework for affordability consideration.
 - i) If no framework for affordability consideration was conducted, please explain why.

RESPONSE 1 (a)-(m):

SoCalGas objects to this request under Rule 10.1 of the Commission's Rules of Practice and Procedure to the extent it seeks the production of information that is neither relevant to the cost recovery issues in the pending proceeding nor is likely reasonably calculated to lead to the discovery of admissible evidence. Subject to and without waiving the foregoing objection, SoCalGas responds as follows.

SoCalGas conducted an evaluation of the localized hub in compliance with Angeles Link Phase 1 Decision (D.) 22-12-055, Ordering Paragraph (OP) 3(c) and OP 5(e) as identified in the Angeles Link Phase 1 Reasonableness Review Application Compliance Matrix.¹

OP 3(c) states that, "SoCalGas shall study a localized hydrogen hub solution, under the specifications required to be eligible for federal funding provided through the Infrastructure Investment and Jobs Act, as part of Phase One". In accordance with OP 3(c), the Project Options and Alternatives (Alternatives Study) and High-Level Economic Analysis & Cost Effectiveness studies (Cost Effectiveness Study) evaluated hydrogen versus non-hydrogen alternatives. As part of the Alternatives evaluation, the Alternatives and Cost Effectiveness Studies evaluated the localized hub solution, and associated costs in accordance with (OP) 3(c) and OP 5(e) of the Decision.

OP 5(e) states that, "how did the planning process consider and evaluate Project alternatives, including a localized hydrogen hub or other decarbonization options such as electrification, their costs and their environmental impacts?" In accordance with OP 5(e), the Alternatives Study and Cost Effectiveness Study evaluated the potential for a localized hydrogen hub and assessed associated costs. The Environmental Analysis study evaluated the potential environmental impacts of Angeles Link as well as specified alternatives identified in the Alternatives Study including the localized hub.²

¹ Angeles Link Phase 1 Reasonableness Review Application, Appendix B - Phase 1 Decision Compliance Matrix at B-1 to B-1 available at https://www.socalgas.com/sites/default/files/2025-06/A.25-06-XXX_SoCalGas_ApplicationRe_AngelesLinkMemorandumAccountCostRecovery.pdf.

² Angeles Link Environmental Analysis study available at: <https://www.socalgas.com/sites/default/files/alproject/Angeles-Link-Phase-1-Final-Environmental-Analysis.pdf>.

**APPLICATION OF SOUTHERN CALIFORNIA GAS COMPANY FOR ANGELES LINK PHASE 1
REASONABLENESS REVIEW (DATA REQUEST Cal PA-02)**

**Date Requested: December 22, 2025 Submitted: January 15, 2026
Supplement Submitted: January 28, 2026**

SUPPLEMENTAL RESPONSE 1 (a)-(m):

SoCalGas incorporates by reference its previously stated objection to this request. Further, SoCalGas objects to this request on the grounds it is unduly burdensome to the extent this information is equally available to the requesting party. Subject to and without waiving the foregoing objections, SoCalGas responds as follows.

On January 22, 2026, SoCalGas and Cal Advocates met and conferred regarding this request. During the meet and confer, Cal Advocates clarified that it seeks specific citations to the Angeles Link Phase 1 Studies, if any, where the subjects outlined in questions (a) – (m) were addressed specific to the Localized Hub.

- a) Information related to preliminary pipeline routing and configuration for the Localized Hub can be found on page 116 of the Alternatives Study.
- b) The Angeles Link Phase 1 Studies did not include pipeline sizing and design criteria specific to the Localized Hub.
- c) Environmental analysis for the Localized Hub can be found on pages 4-7, and 4-13 through 4-31 of the Environmental Analysis Study.
- d) The Angeles Link Phase 1 Studies did not include ESJ community engagement plan and ESJ screening specific to the Localized Hub.
- e) The Angeles Link Phase 1 Studies did not include an evaluation of applicable safety requirements specific to the Localized Hub.
- f) The Angeles Link Phase 1 Studies did not include a GHG emissions evaluation specific to the Localized Hub.
- g) The high-level economic analysis and cost effectiveness analysis for the Localized Hub can be found in the Cost Effectiveness Study on the following pages – 16, 19, 38, 40, 92, 94, 122, 123.
- h) The Angeles Link Phase 1 Studies did not include a hydrogen leakage assessment specific to the Localized Hub.
- i) The Angeles Link Phase 1 Studies did not include nitrogen oxides and other air emissions assessments specific to the Localized Hub.
- j) Production planning assessment for the Localized Hub can be found in the Alternatives Study on page 115.
- k) The Angeles Link Phase 1 Studies did not include a water resources evaluation specific to the Localized Hub.

**APPLICATION OF SOUTHERN CALIFORNIA GAS COMPANY FOR ANGELES LINK PHASE 1
REASONABLENESS REVIEW (DATA REQUEST Cal PA-02)**

Date Requested: December 22, 2025 Submitted: January 15, 2026
Supplement Submitted: January 28, 2026

- I) The Angeles Link Phase 1 Studies did not include a workforce planning and training evaluation specific to the Localized Hub.
- m) The Angeles Link Phase 1 Studies did not include a framework for affordability considerations specific to the Localized Hub.